

To Whom It May Concern:

I am ordering for purchase and/or rental an Alpha-Stim[®] prescription electromedical device complete with accessories for the below named patient to use at home as a conservative method of treating pain, anxiety, depression and/or insomnia. This technology is supported by successful outcomes documented by more than 80 published articles (Abstracts and PDFs of research articles are available at <u>www.AlleviaHealth.com</u>). It has shown to be consistently effective so I have advised the patient to utilize it on a regular basis.

Please dispense this Alpha-Stim® device for my patient:

Alpha-Stim[®] M microcurrent stimulator for treatment of pain, and cranial electrotherapy stimulator for treatment of anxiety, depression, and/or insomnia (Model replaces Alpha-Stim[®] 100)

Alpha-Stim[®] AID cranial electrotherapy stimulator for treatment of anxiety, depression, and/or insomnia (Model replaces Alpha-Stim[®] SCS)

See Prescribing Information for model comparison. Allevia Health, Inc. provides detailed printed instructions and follow-up support by phone for patients who purchase or rent an Alpha-Stim[®]. In addition, our Alpha-Stim[®] units come with 5 year warranty.

PATIENT

PRACTITIONER

Name	Practitioner's Name
Address	—
CityStateZip Home Phone ()	Specialty Office/Clinic Street Address
FAX form to (888) 684-8414 or email it to: info@alleviahealth.com or you may mail it to: Allevia Health, Inc. 922 NW Circle Blvd, Suite 160-320 Corvallis, OR 97330 Questions? (800) 684-9343	Patient's Diagnoses applicable to Alpha-Stim® treatments: 1. ICD10 Code





Phone: (800) 684-9343 Fax: (888) 684-8414 www.AlleviaHealth.com

PRESCRIBING INFORMATION FOR ALPHA-STIM®

Federal Law in the USA restricts Alpha-Stim[®] devices to sale by, or on the order of a licensed health care practitioner.

Indications: Treatment Chart

	Alpha-Stim [®] M	Alpha-Stim [®] AID
Anxiety	٠	•
Insomnia	•	•
Depression	•	•
Pain	•	

Alpha-Stim[®] M and Alpha-Stim[®] AID microcurrent electrical therapy (MET) and cranial electrotherapy stimulation (CES) technology is continuously being subjected to rigorous study and evaluation by the international medical community. Findings to date indicate that the Alpha-Stim[®] M is effective treatment with broad applications for a variety of syndromes involving pain, or for short term relief of the symptoms of pain, and the Alpha-Stim® M and Alpha-Stim® AID (CES) are effective treatment with broad applications for the management of anxiety, depression, and/or insomnia, or for the short term relief of the symptoms of anxiety, depression and/or insomnia. In many cases it is the sole therapeutic method required. Effective results in pain management have been seen during and/or subsequent to stimulation over affected body parts, adjacent areas, and areas distant from those in pain. As with any therapeutic intervention, not all people will respond to the Alpha-Stim® M or Alpha-Stim® AID. The degree of efficacy will vary with the nature of the problem being treated, the overall health of the person, and with the method of treatment.

Contraindications: The Alpha-Stim[®] M or Alpha-Stim[®] AID may effect the operation of cardiac pacemakers (particularly demand type pacemakers). Do not stimulate directly on the eyes, or over the carotid sinus (on the neck beside the larynx).

Precautions: For external use only. Do not allow children to use or handle these devices without adult supervision. Do not operate potentially dangerous machinery or vehicles during, and in some cases, for several hours after treatment with the Alpha-Stim[®] M or Alpha-Stim[®] AID (CES). Caution is advised in cases where other forms of analgesia (pain control) would not be used; such as to retain the beneficial aspects of pain for diagnosis or in cases where people may overuse pain-controlled areas. Safety of stimulation has not been established during pregnancy. There have been isolated reports of blood pressure being lowered by CES so care should be taken while using the Alpha-Stim® M or Alpha-Stim[®] AID with high blood pressure medication.


Adverse Effects (Alpha-Stim® M and Alpha-Stim® AID): Adverse effects are usually mild and self-limiting. Adverse effects seen in approximately 4,541 patients in controlled, open, uncontrolled conditions, and by physician survey and reasonably associated with the use of AID are dizziness (6 cases, 0.13%), skin irritation/electrode burns (5 cases, 0.11%), and headaches (9 cases, 0.20%). Prolonged CES treatment at higher than necessary currents may cause dizziness or nausea that can last from hours to days. Treatment immediately prior to going to sleep may cause difficulty sleeping due to increased alertness. It is recommended that AID be used at least 3 hours before going to sleep. Paradoxical reactions such as hyperexcited states, increased anxiety, and sleep disturbances may occur, but are rare.

Manufactured and marketed by: Electromedical Products International, Inc. 2201 Garrett Morris Parkway Mineral Wells, Texas 76067-9484 USA Tel. (800) 367-7246











See instructions for use. Read the manual thoroughly before use.