



Authorized Alpha-Stim® Sales & Service
 20 E Airport Road, Suite 342, Lebanon, OR 97355
 FAX (888) 684-8414 www.AlleviaHealth.com

800-684-9343

ALPHA-STIM® ORDER FORM

30 Day Money Back Guarantee & 5 Year Warranty on Alpha-Stim Stimulators*

Ship to:
 Name _____
 Shipping Address _____

 City _____ State _____ Zip _____
 Home Phone (____) _____
 Cell Phone (____) _____
 Email _____
 Purchase Date _____

For **device** orders, a healthcare practitioner must complete this section or attach Rx
 Practitioner's Name _____
 Degree _____ **NPI/license #** _____
 Address _____
 City _____ State _____ Zip _____
 Phone (____) _____
 Patient Diagnosis _____ ICD10 Code _____
Practitioner's signature _____
Date ordered for patient _____

Item Description	Item #	Price	Quantity	Total
Alpha-Stim® M for anxiety, insomnia and pain	400KIT	\$1,363		
Alpha-Stim® AID for anxiety and insomnia	500KIT	\$882		
AS-Trode™ Self-Adhesive Silver Electrode Pads (pack of 4)	AT7	\$25		
AS-Trode™ Self-Adhesive Silver Electrode Pads (10 Packs of 4) <i>SAVE 38%!</i>	AT7 (10x)	\$157.50		
Earclip Electrode Pads (box of 256; for earclips only)	EEP	\$21		
Probe Electrode Pads (box of 100; for probes only)	PEP	\$21		
Alpha-Stim Conducting Solution Refill Size (250 ml)	SL250	\$15.75		
M Earclip Electrodes (for M model only)	401	\$42		
M Smart Probe (single probe for M model only)	402	\$15.75		
M Lead Wire (single wire for M model only)	403	\$10.50		
M Green Lanyard (for M model only)	404	\$5		
M Soft Carry Case (for M model only)	407	\$20		
AID Earclip Electrodes (for AID model only)	501	\$42		
AID White Lanyard (for AID model only)	502	\$5		
AID Soft Case (for AID model only)	505	\$20		
Energizer 1.5V Ultimate Lithium AA Batteries (pack of 4)	AA	\$12		
Energizer 1.5V Ultimate Lithium AAA Batteries (pack of 4)	AAA	\$12		
<i>Device Shipping: USPS Priority or UPS Ground \$15; Supplies Shipping: USPS Priority \$10</i>			Subtotal	
5-Year Warranty & FREE Technical Support Included with Alpha-Stim® devices			Shipping	
* Return Policy: If you are not completely satisfied with your Alpha-Stim® unit for any reason, return it within 30 days, postage paid by you, in its original salable condition, including all accessories, original packaging, and manual, for refund of the purchase price minus 10% restocking fee. Shipping charges will not be refunded. Guarantee applies only to new Alpha-Stim® stimulators purchased directly from Allevia Health, Inc. and is not applicable to volume sales. Supplies and accessories are not returnable.			TOTAL	

FAX order to (888) 684-8414 or order online www.AlleviaHealth.com

Method of Payment

Check enclosed (payable to Allevia Health, Inc.) Charge my credit card: Visa Mastercard AmEx Discover

Card Number: _____ Expiration Date _____ Signature _____

GET THE RELIEF YOU DESERVE

ALPHA-STIM® ACCESSORIES, SUPPLIES & TIPS

Alpha-Stim® M
Item #400KIT



Alpha-Stim® AID
Item #500KIT




Tip! This large 250-ml container provides 16 refills of the travel size container that came with your device.

Alpha-Stim Conducting Solution (250 ml refill)
Item #SL250 (all models)



Tip! Your Alpha-Stim is powered by batteries which will need replacement. There is a battery indicator on the display that monitors the battery level. **Please use lithium batteries only.**

AID Earclip Electrodes
Item #501 (AID model only)



← Gray (AID model)



AS-Trodes™ Self-Adhesive Silver Electrodes
Item #AT7 (M model only)



Earclip Electrode Pads
Item #EEP (all models)

Tip! Remove old felt pads after you complete a CES treatment. If there is glue residue you may clean the metal surfaces of earclips with alcohol. When the surfaces are dry, place a new felt pad on each surface. The manufacturer indicates felts are intended for single use. Some clients with their own Alpha-Stim® use the felts several times before replacing them.

Tip! You can extend the life of your AS-Trodes™ by following these simple rules:

Cleanse skin with mild soap and water to remove body oils, lotions, make-up and perspiration. Rinse thoroughly to remove all soap residue and let dry before applying electrodes.

When applying electrodes, make sure there is "total contact" (no curling, gaps, etc.) with the skin.

Remove electrodes from the skin by lifting the edge of the pad, not by pulling them off by the lead wire.

Place electrodes on their protective backing and seal the bag after each treatment to prevent the gel from drying out.

If the gel becomes less sticky, apply two drops of the Alpha Conducting Solution™ to each pad to re-hydrate its surface.


When the gel loses its ability to adhere properly to the skin, it is time to replace electrodes.

If the connection between the lead wire and electrode becomes loose, you may lightly squeeze the outlet where the lead wire plugs into the electrode.

M Earclip Electrodes
Item #401 (M model only)



← Green (M model)



Probe Electrode Pads
Item #PEP (M model only)

M Lead Wire (single)
Item #403 (M model only)



Smart Treatment Probe
Item #402 (M model only)



M Soft Case
Item #407 (M model only)



AID Soft Case
Item #505 (AID model only)

Tip! Protect your investment! This soft-sided portable carry case is a convenient way to store your Alpha-Stim® and its accessories and supplies.



Green M Lanyard
Item #404 (M model)



White AID Lanyard
Item #502 (AID model)